



Radial Drill

Stock number **7-27765**

Make **.**
Model **1600/50**

Year of **2005**

Condition **★★★★★★★★★★★**



Working Range -boring-

drilling capacity full bore (steel)

50 mm

throat (max)

1600 mm

horizontal travel

1250 mm

vertical travel

580 mm

sleeve stroke

315 mm

working spindle / head

spindle revolutions (min)

25 /min

spindle revolutions (max)

2000 /min

number of gears

16

spindle diameter

79 mm

taper fixture

MK 5

drive power (max)

3 kW

max. distance spindle ... clamping surface

1220 mm

Electrical specifications

mains voltage

380 V

mains frequency

50 Hz

Dimensions / weights

space requirements length

2500 mm

space requirements width

1070 mm

total height

2840 mm

total weight approx.

3500 kg



Data / Pictures

Get technical data and pictures via WhatsApp now!





GOEDICKE
WERKZEUGMASCHINEN



Goedicke Werkzeugmaschinenhandels GmbH

Heinz-Nixdorf-Str. 2
D-74172 Neckarsulm
+49-(0)7132-999 360

info@goedicke.com
www.goedicke.com



Data / Pictures



GOEDICKE
WERKZEUGMASCHINEN



Goedicke Werkzeugmaschinenhandels GmbH

Heinz-Nixdorf-Str. 2
D-74172 Neckarsulm
+49-(0)7132-999 360

info@goedicke.com
www.goedicke.com

Get technical data and pictures via WhatsApp now!

